report;

IN THE CLAIMS

A complete list of claims is presented below with amendments marked up:

1. (Currently amended) A method, comprising:

a community of users generating a plurality of reports, said generating comprising, for each of the plurality of reports,

generating at least one signature based on a content of an email message,
adding the at least one signature to a respective report; and
identifying the email message as spam or not spam in the respective

receiving [[a]] <u>the</u> plurality of reports from [[a]] <u>the</u> community of users, <u>each</u>
report identifying an email message as spam or not spam, wherein each report comprises
at least one signature based on a content of the email message; and

determining if the email message is spam based on a number of the reports received from the community of users, and a trust factor associated with each user.

- 2. (Original) The method of claim 1, further comprising maintaining a database of email messages determined as being spam.
- 3. (Original) The method of claim 2, further comprising providing notifications to the community of users of email messages stored in the database and determined as being spam.

4. (Original) The method of claim 3, wherein each notification is in response to a request received from a user in the community for an indication on whether an identified message is spam.

5. (Canceled).

- 6. (Original) The method of claim 1, wherein the trust factor is based on an indication of how accurately previous reports sent by the user identified email messages as spam.
 - 7. (Currently amended) A server, comprising:

a processor; and

a memory coupled to the processor, the memory storing instructions which when executed by the processor cause the processor to perform a method, comprising:

generating a plurality of reports in response to requests from a community of users, said generating comprising, for each of the plurality of reports,

generating at least one signature based on a content of an email

message,

adding the at least one signature to a respective report; and identifying the email message as spam or not spam in the

respective report;

receiving [[a]] the plurality of reports from [[a]] the community of users; each report identifying an email message as spam or not spam, wherein each report comprises at least one signature based on a content of the email message; and

determining if the email message is spam based on a number of the reports received from the community of users, and a trust factor associated with each user.

- 8. (Original) The server of claim 7, wherein the method further comprises maintaining a database of email messages determined as being spam.
- 9. (Original) The server of claim 8, wherein the method further comprises providing notifications to the community of users of email messages stored in the database and determined as being spam.
- 10. (Original) The server of claim 9, wherein each notification is in response to a request received from a user in the community for an indication on whether an identified message is spam.
 - 11. (Canceled).
- 12. (Original) The server of claim 7, wherein the trust factor is based on an indication of how accurately previous reports sent by the sender identified email messages as spam.

10/700,911 Page 4 of 11

13. (Currently amended) A recordable-type medium having stored thereon a sequence of instructions which when executed by a computer, cause the computer to perform a method comprising:

generating a plurality of reports in response to requests from a community of users, said generating comprising, for each of the plurality of reports,

generating at least one signature based on a content of an email message,
adding the at least one signature to a respective report; and
identifying the email message as spam or not spam in the respective

report;

receiving [[a]] the plurality of reports from [[a]] the community of users, each report identifying an email message as spam or not spam, wherein each report comprises at least one signature based on a content of the email message; and

determining if the email message is spam based on a number of the reports received from the community of users, and a trust factor associated with each user.

- 14. (Previously presented) The recordable-type medium of claim 13, wherein the method further comprises maintaining a database of email messages determined as being spam.
- 15. (Previously presented) The recordable-type medium of claim 14, wherein the method further comprises providing notifications to the community of users of email messages stored in the database and determined as being spam.

10/700,911 Page 5 of 11

16. (Previously presented) The recordable-type medium of claim 15, wherein each notification is in response to a request received from a user in the community for an indication on whether an identified message is spam.

17. (Canceled).

- 18. (Previously presented) The recordable-type medium of claim 14, wherein the trust factor is based on an indication of how accurately previous reports sent by the sender identified email messages as spam.
- 19. (Previously presented) The method of claim 1, wherein the at least one signature comprises a hash calculated based on the content of the email message.
- 20. (Previously presented) The method of claim 2, further comprising:
 using the at least one signature as a key to store the email message in the database
 if the email message is determined to be spam.
- 21. (Previously presented) The server of claim 7, wherein the at least one signature comprises a hash calculated based on the content of the email message.
- 22. (Previously presented) The server of claim 2, wherein the method further comprises:

10/700,911 Page 6 of 11

using the at least one signature as a key to store the email message in the database if the email message is determined to be spam.

- 23. (Previously presented) The recordable-type medium of claim 13, wherein the at least one signature comprises a hash calculated based on the content of the email message.
- 24. (Previously presented) The recordable-type medium of claim 14, wherein the method further comprises:

using the at least one signature as a key to store the email message in the database if the email message is determined to be spam.